

# Safety Data Sheet according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

#### 1 Identification

**Product Name: TITAN AMINE 450 HERBICIDE** 

Other Means of Identification: Mixture APVMA Approval Number: 87499

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

**Details of Manufacturer or Importer:** 

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

## 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Skin Sensitisation 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### Signal Word Danger

#### **Hazard Statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

## according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

**Product Name: TITAN AMINE 450 HERBICIDE** 

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures** 

**Description:** Mixture of substances listed below with nonhazardous additions.

#### **Hazardous Components:**

CAS: 5742-17-6 Acetic acid, (2,4-dichlorophenoxy)-, compound with 2-propanamine (1:1)

<45%

Eye Damage 1, H318; Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317; STOT SE 3, H335; Aquatic Acute 3, H402; Aquatic Chronic 3, H412

## **4 First Aid Measures**

**Inhalation:** If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

## **Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

#### **Eve Contact:**

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

## Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

## Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## **5 Fire Fighting Measures**

Suitable Extinguishing Media: Use water spray, foam, dry chemical or carbon dioxide.

#### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and sulphur, nitrogen compounds, hydrogen cyanide, sulphur compounds, hydrogen chloride gas, other chlorine products, smoke and water. Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

(Contd. on page 3)

## according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

**Product Name: TITAN AMINE 450 HERBICIDE** 

(Contd. of page 2)

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## **6 Accidental Release Measures**

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation.

## **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from strong oxidising agents, strong acids and strong bases. Store away from fertilisers and seeds.

## **8 Exposure Controls and Personal Protection**

#### **Exposure Standards:**

CAS: 94-75-7 (2,4-Dichlorophenoxy)acetic acid (ISO)

WES TWA: 10 mg/m<sup>3</sup>

Sen

## **Engineering Controls:**

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

## **Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and

permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### **Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

(Contd. on page 4)

according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

**Product Name: TITAN AMINE 450 HERBICIDE** 

(Contd. of page 3)

## 9 Physical and Chemical Properties

Appearance:

Form: Liquid

Colour: Clear red or brown Odour: Ammonia-like

Odour Threshold:No information availablepH-Value:No information availableMelting point/freezing point:No information available

Initial Boiling Point/Boiling Range: approx. 100 °C

Flash Point: No information available

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

Lower:No information availableUpper:No information available

Vapour Pressure:21.3 hPaRelative Density: $1.15 \pm 0.01$ 

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Soluble

Partition Coefficient (n-octanol/water): No information available Viscosity: No information available

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases. Fertilisers and seeds.

#### **Hazardous Decomposition Products:**

Oxides of carbon, nitrogen and sulphur, nitrogen compounds, hydrogen cyanide, sulphur compounds, hydrogen chloride gas, other chlorine products, smoke and water.

## 11 Toxicological Information

## Toxicity:

#### **Acute Health Effects**

Inhalation: May cause respiratory irritation.

**Skin:** May cause skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye damage.

**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting. **Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

## Carcinogenicity:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

**Product Name: TITAN AMINE 450 HERBICIDE** 

(Contd. of page 4)

2.4-D (2.4-dichlorophenoxyacetic acid) and chlorophenoxy herbicides are classified by IARC as Group 2B - Possibly carcinogenic to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

#### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for 2.4-Dichlorophenoxyacetic acid (2.4-D) for a human is 0.05 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

## 12 Ecological Information

#### **Ecotoxicity:**

#### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

#### CAS: 5742-17-6 Acetic acid, (2,4-dichlorophenoxy)-, compound with 2-propanamine (1:1)

LC50/96 h >100 mg/l (Oncorhynchus mykiss (rainbow trout))

LC50/48 h 184 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

## 15 Regulatory Information

#### Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

## Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

according to WHS Regulations

Print date: 15.03.2024 Revision date: 15.03.2024

**Product Name: TITAN AMINE 450 HERBICIDE** 

(Contd. of page 5)

#### Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 87499.

## 16 Other Information

Date of Preparation or Last Revision: 15.03.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

#### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.