

according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

#### 1 Identification

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

Other Means of Identification: Mixture APVMA Approval Number: 88207

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

**Details of Manufacturer or Importer:** 

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

# 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

## Signal Word Warning

### **Hazard Statements**

H317 May cause an allergic skin reaction.

## **Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures** 

Description: Mixture of substances listed below with nonhazardous additions.

### **Hazardous Components:**

CAS: 57837-19-1 | Metalaxyl (ISO)

Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317; Aquatic Chronic 3, H412

## 4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

(Contd. on page 2)

5%

# according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

(Contd. of page 1)

#### Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

#### **Eye Contact:**

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

#### Ingestion

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

## Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

# **5 Fire Fighting Measures**

Suitable Extinguishing Media: Water fog, foam, carbon dioxide or dry chemical.

# **Specific Hazards Arising from the Chemical:**

Hazardous combustion products include toxic substances.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

# **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

## **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Decontaminate spill area with detergent and water.

# 7 Handling and Storage

#### Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents.

(Contd. on page 3)

according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

(Contd. of page 2)

# 8 Exposure Controls and Personal Protection

# **Exposure Standards:**

**Nuisance dust** 

WES TWA: 10 mg/m<sup>3</sup>

#### **Engineering Controls:**

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

#### **Respiratory Protection:**

Where an inhalation risk exists, wear approved particulate respirator (filter type P). At high dust levels, wear a powered air purifying respirator (PAPR) with P3 filter or an air-line respirator or a full-face P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

Rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

# 9 Physical and Chemical Properties

Appearance:

Form: Granular solid
Colour: Cream to grey
Odour: No appreciable odour
Odour Threshold: No information available

pH-Value: Not applicable

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available

No information available

Flash Point: Not applicable

Flammability (solid, gas):

Auto-ignition Temperature:

No information available

No information available

No information available

**Explosion Limits:** 

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: ~0.784
Vapour Density: Not applicable
Evaporation Rate: Not applicable

Solubility in Water: No information available Partition Coefficient (n-octanol/water): No information available Viscosity: No information available

# 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

(Contd. on page 4)

# according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

(Contd. of page 3)

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Toxic substances.

# 11 Toxicological Information

## **Toxicity:**

LD50/LC50 Values:		
CAS: 57837-19-1 Metalaxyl (ISO)		
Oral	LD50	>669 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	5,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	>3.6 mg/l (Rattus norvegicus (rat))

#### **Acute Health Effects**

**Inhalation:** May cause respiratory irritation.

Skin: May cause skin irritation. May cause an allergic skin reaction.

**Eye:** May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

# Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

# Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

# Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

# Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for metalaxyl for a human is 0.03 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024).

# 12 Ecological Information

### **Ecotoxicity:**

#### Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

(Contd. on page 5)

# according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

(Contd. of page 4)

CAS: 57837-19-1 Metalaxyl (ISO)

EC50/48 h | 3.47 mg/l (Daphnia magna (water flea))

LC50/96 h | >100 mg/l (Lepomis macrochirus (bluegill))

>100 mg/l (carp)

0.96 mg/l (Oncorhynchus mykiss (rainbow trout))

LC50 | 12.5-28 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

# 14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

## 15 Regulatory Information

#### **Australian Inventory of Industrial Chemicals:**

All components are on the inventory, or in compliance with the inventory.

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

# **Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 88207.

### 16 Other Information

Date of Preparation or Last Revision: 11.10.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

(Contd. on page 6)

according to WHS Regulations

Print date: 22.10.2024 Revision date: 11.10.2024

Product Name: TITAN METALAXYL 50G GRANULAR SYSTEMIC FUNGICIDE

(Contd. of page 5)

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.