

according to WHS Regulations

Revision date: 16.08.2024

Print date: 20.08.2024

1 Identification

Product Name: TITAN TREFLAN HERBICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 87108

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



| Carcinogenicity 2 | H351 Suspected of causing cancer. |
|---------------------|--|
| STOT RE 1 | H372 Causes damage to organs through prolonged or repeated exposure. |
| Aspiration Hazard 1 | H304 May be fatal if swallowed and enters airways. |



Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



| Skin Corrosion/Irritation 2 | H315 Causes skin irritation. |
|-----------------------------|---|
| Eye Irritation 2A | H319 Causes serious eye irritation. |
| Skin Sensitisation 1 | H317 May cause an allergic skin reaction. |
| Flammable Liquids 4 | H227 Combustible liquid. |

Flammable Liquids 4

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 1)

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

| r recationary otatements | | | |
|--------------------------|---|--|--|
| P201 | Obtain special instructions before use. | | |
| P202 | Do not handle until all safety precautions have been read and understood. | | |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. | | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. | | |
| P264 | Wash thoroughly after handling. | | |
| P270 | Do not eat, drink or smoke when using this product. | | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | | |
| P273 | Avoid release to the environment. | | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | | |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. | | |
| P321 | Specific treatment (see on this label). | | |
| P331 | Do NOT induce vomiting. | | |
| P302+P352 | IF ON SKIN: Wash with plenty of water. | | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if | | |
| | present and easy to do. Continue rinsing. | | |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. | | |
| P314 | Get medical advice/attention if you feel unwell. | | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. | | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | | |
| P370+P378 | In case of fire: Use CO2, powder or water spray to extinguish. | | |
| P391 | Collect spillage. | | |
| P403 | Store in well-ventilated place. | | |
| P405 | Store locked up. | | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| | - | | |

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

| CAS: 64742-95-6 | Solvent naphtha (petroleum), light arom. | 50-52% |
|-----------------|--|--------|
| | STOT RE 1, H372; Aspiration Hazard 1, H304; () Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227 | |
| CAS: 1582-09-8 | Trifluralin | 45-48% |
| | Carcinogenicity 2, H351; Aquatic Chronic 1, H410 (M=10); Skin Sensitisation 1, H317 | |

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 2)

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a solid water stream.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, compounds of nitrogen, compounds of fluorine, hydrogen fluoride, hydrogen cyanide, and smoke. Combustible liquid.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses. HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area below 30 °C. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 3)

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved unit respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

| Appearance: | |
|--|----------------------------|
| Form: | Liquid |
| Colour: | Clear bright orange |
| Odour: | Hydrocarbon |
| Odour Threshold: | No information available |
| pH-Value at 20 °C: | 4-6 |
| Melting point/freezing point: | No information available |
| Initial Boiling Point/Boiling Range: | 139-140 °C |
| Flash Point: | >62 °C |
| Flammability (solid, gas): | Not applicable |
| Auto-ignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Explosion Limits: | |
| Lower: | No information available |
| Upper: | No information available |
| Vapour Pressure: | No information available |
| Relative Density at 20 °C: | 1.06 |
| Vapour Density: | No information available |
| Evaporation Rate: | No information available |
| Solubility in Water: | Forms an emulsion in water |
| Partition Coefficient (n-octanol/water): | |
| Viscosity: | No information available |

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Temperatures above 30 °C. Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, compounds of nitrogen, compounds of fluorine, hydrogen fluoride, hydrogen cyanide, and smoke.

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 4)

11 Toxicological Information

Toxicity:

| LD50/LC50 Values: | | | |
|--|----------|---|--|
| CAS: 64742-95-6 Solvent naphtha (petroleum), light arom. | | | |
| Oral | LD50 | >6,800 mg/kg (Rattus norvegicus (rat)) | |
| | LD50 | >3,400 mg/kg (Oryctolagus cuniculus (rabbit)) | |
| Inhalation | LC50/4 h | >10.2 mg/l (Rattus norvegicus (rat)) | |
| CAS: 1582-09-8 Trifluralin | | | |
| Oral | LD50 | >5,000 mg/kg (Rattus norvegicus (rat)) | |
| Dermal | LD50 | >2,000 mg/kg (Rattus norvegicus (rat)) | |
| Inhalation | LC50/4 h | >1.252 mg/l (Rattus norvegicus (rat)) | |

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Ingestion:

May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Suspected of causing cancer.

Trifluralin is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for trifluralin for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 5)

CAS: 1582-09-8 Trifluralin LC50/96 h 0.0084 mg/l (Lepomis macrochirus (bluegill)) 0.02-0.06 mg/l (Oncorhynchus mykiss (rainbow trout)) LC50/48 h 0.24 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

| UN Number ADG, IMDG, IATA | UN3082 |
|---|---|
| Proper Shipping Name ADG, IMDG, IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifluralin), MARINE POLLUTANT |
| Dangerous Goods Class ADG Class: | 9 |
| Packing Group: ADG, IMDG, IATA | III |
| Marine pollutant: | Symbol (fish and tree) |
| EMS Number: | F-A,S-F |
| Hazchem Code: | •3Z |
| Special Provisions: | 274, 331, 335, 375, AU01 |
| Transport/Additional information: | Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01) |
| Excepted quantities (EQ): | E1 |
| Limited Quantities: | 5 L |
| Packagings & IBCs - Packing Instruction: | P001, IBC03, LP01 |
| Packagings & IBCs - Special Packing Provisions | : PP1 |
| Portable Tanks & Bulk Containers - Instructions | : T4 |
| Portable Tanks & Bulk Containers - Special Provisions: | TP1, TP29 (Contd. on page 7) |

according to WHS Regulations

Print date: 20.08.2024

Revision date: 16.08.2024

Product Name: TITAN TREFLAN HERBICIDE

(Contd. of page 6)

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 87108.

16 Other Information

Date of Preparation or Last Revision: 16.08.2024

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.