

Safety Data Sheet according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

1 Identification

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

Other Means of Identification: Mixture APVMA Approval Number: 62641

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Toxic To Reproduction 2 H361d Suspected of damaging the unborn child.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed. Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Flammable Liquids 4 H227 Combustible liquid. Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger

Hazard Statements

H227 Combustible liquid. H302 Harmful if swallowed.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H304 May be fatal if swallowed and enters airways.

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 1)

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain sp	pecial inst	tructions	before us	se.

- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P321 Specific treatment (see on this label).
- P331 Do NOT induce vomiting.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P330 Rinse mouth.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.
- P391 Collect spillage.
- P403 Store in well-ventilated place.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	ponents:	
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	
	♦ Aspiration Hazard 1, H304	
CAS: 1689-99-2	Bromoxynil octanoate	<20%
	Acute Toxicity (Inhalation) 3, H331; Toxic To Reproduction 2, H361d; Aquatic Chronic 1, H410 (M=10); Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317	
CAS: 26544-20-7	MCPA, iso-octyl ester	<20%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Toxicity (Inhalation) 4, H332	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

(Contd. on page 3)

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 2)

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal

irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, and other pyrolysis products. Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

(Contd. on page 4)

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 3)

Respiratory Protection:

Use an approved unit respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eve and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: Dark brown
Odour: Hydrocarbon

Odour Threshold:

pH-Value:

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available
No information available
No information available

Flash Point: 75 °C

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower: 0.6 Vol % **Upper:** 7 Vol %

Vapour Pressure: No information available

Relative Density at 20 °C: 1.07-1.09

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available
Forms an emulsion in water
No information available
No information available
No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight, heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon, oxides of nitrogen, and other pyrolysis products.

(Contd. on page 5)

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 4)

11 Toxicological Information

Toxicity:

LD50/LC50 Values:				
CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.				
Oral	LD50	5,000 mg/kg (Rattus norvegicus (rat))		
	LD50	2,000 mg/kg (Oryctolagus cuniculus (rabbit))		
CAS: 1689-99-2 Bromoxynil octanoate				
Oral	LD50	>141 mg/kg (Rattus norvegicus (rat))		
		260 mg/kg (Oryctolagus cuniculus (rabbit))		
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	0.72-0.81 mg/l (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation: Harmful if inhaled. May cause respiratory irritation. **Skin:** May cause skin irritation. May cause an allergic skin reaction.

Eye: May cause eye irritation.

Ingestion:

Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

Solvent naphtha (petroleum), heavy arom is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Suspected of damaging the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bromoxynil octanoate for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. The ADI for MCPA, iso-oxtyl ester for a human is 0.01 mg/kg/day. This is based on the NOAEL of 1.1 mg/kg/day.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024).

(Contd. on page 6)

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 5)

12 Ecological Information

Ecotoxicity:

CAS: 1689-99-2 Bromoxynil octanoate

Oral LD50 2,350 mg/kg (Anas platyrhynchos (mallard duck))

170 mg/kg (Coturnix coturnix (common quail))

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.		
EC50/48 h	12 mg/l (Daphnia magna (water flea))	

EC50/72 h 2.5 mg/l (Skeletonema costatum (diatom))

LC50/96 h 45 mg/l (Pimephales promelas (fathead minnow))

CAS: 1689-99-2 Bromoxynil octanoate

LC50 0.46 mg/l (Carassius auratus (goldfish))

0.05 mg/l (Oncorhynchus mykiss (rainbow trout))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Bromoxynil)

Dangerous Goods Class

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

EMS Number: F-A,S-F
Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Excepted quantities (EQ): E1

(Contd. on page 7)

according to WHS Regulations

Print date: 31.10.2024 Revision date: 25.10.2024

Product Name: TITAN BROMOXYNIL MA SELECTIVE HERBICIDE

(Contd. of page 6)

Limited Quantities: 5 L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1 Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 7

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 62641.

16 Other Information

Date of Preparation or Last Revision: 25.10.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity (Oral) 4: Acute toxicity – Category 4
Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Toxic To Reproduction 2: Reproductive toxicity – Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.