

according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

### 1 Identification

Product Name: Titan Tank Cleaner

Other Means of Identification: Mixture

# Recommended Use of the Chemical and Restriction on Use:

For removal of deposits and other debris, including oily substances from tanks, hoses, booms, transfer & mixing systems, filters, screens and nozzles

### **Details of Manufacturer or Importer:**

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

## 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



GHS05 Corrosion

Skin corrosion/irritation – Category 1B H314 Causes severe skin burns and eye damage.

Eye damage/irritation – Category 1 H318 Causes serious eye damage.



Acute toxicity - oral – Category 4 H302 Harmful if swallowed.

### Signal Word Danger

### **Hazard Statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

## **Precautionary Statements**

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection / face protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

# according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

**Product Name: Titan Tank Cleaner** 

(Contd. of page 1)

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	oonents:	
CAS: 85480-55-3	Benzenesulfonic acid, mono-C10-13-alkyl derivatives, compounds with ethanolamine	10-<30%
	Eye damage/irritation – Category 1, H318;  Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315	
CAS: 141-43-5	Ethanolamine	<10%
	Skin corrosion/irritation – Category 1B, H314;  Acute toxicity - oral – Category 4, H302; Acute toxicity - dermal – Category 4, H312; Acute toxicity - inhalation – Category 4, H332	
CAS: 3794-83-0	tetrasodium (1-hydroxyethylidene)bisphosphonate	<10%
	Acute toxicity - oral – Category 4, H302; Eye damage/irritation – Category 2A, H319	
CAS: 68131-39-5	Alcohols, C12-15, ethoxylated	<10%
	Eye damage/irritation – Category 1, H318;  Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315	

#### 4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### **Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

#### **Eye Contact:**

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

## **Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## **5 Fire Fighting Measures**

Suitable Extinguishing Media: Use ABC powder. Do not use a full water jet.

## Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and other organic compounds.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2X

according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

**Product Name: Titan Tank Cleaner** 

(Contd. of page 2)

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

# **6 Accidental Release Measures**

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other non-combustible absorbent material. Collect the spilled material and place into a suitable container for disposal.

# 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area at temperatures between 0 - 40 °C. Keep container tightly closed when not in use. Protect from sunlight. Keep away from oxidising agents, strong acids, and strong bases.

# 8 Exposure Controls and Personal Protection

## **Exposure Standards:**

## CAS: 141-43-5 Ethanolamine

WES STEL: 15 mg/m³, 6 ppm TWA: 7.5 mg/m³, 3 ppm

#### **Engineering Controls:**

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

#### **Respiratory Protection:**

Use an approved organic vapour respirator (filter type A) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

## **Skin Protection:**

Chemical-resistant gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### **Eve and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

(Contd. on page 4)

# according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

**Product Name: Titan Tank Cleaner** 

(Contd. of page 3)

# 9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: Yellow
Odour: Characteristic

Odour Threshold: No information available

**pH-Value**: 10-11.5

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available

No information available

Flash Point: >93 °C

Flammability Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

Lower:No information availableUpper:No information available

Vapour Pressure at 50 °C: 116 hPa

Density:1.065-1.085 g/cm³ (ISO 649-2)Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Miscible

Partition Coefficient (n-octanol/water): No information available Viscosity: No information available

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Temperatures below 0 °C or above 40 °C. Sunlight. **Incompatible Materials:** Oxidising agents, strong acids, and strong bases.

Hazardous Decomposition Products: Oxides of carbon and other organic compounds.

## 11 Toxicological Information

#### **Toxicity:**

LD50/LC50 Values:				
CAS: 141-43-5 Ethanolamine				
Oral	LD50	2,050 mg/kg (Rattus norvegicus (rat))		
	LD50	1,000 mg/kg (Oryctolagus cuniculus (rabbit))		
Inhalation	LC50	>1.3 ppm (Rattus norvegicus (rat))		
CAS: 681	CAS: 68131-39-5 Alcohols, C12-15, ethoxylated			
Oral	LD50	>5,000 mg/kg (Rattus norvegicus (rat))		
	LD50	2,500 mg/kg (Oryctolagus cuniculus (rabbit))		

#### **Acute Health Effects**

Inhalation: May cause respiratory irritation.

**Skin:** Causes severe skin burns. **Eye:** Causes serious eye damage.

Ingestion:

Harmful if swallowed. Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

(Contd. on page 5)

## according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

**Product Name: Titan Tank Cleaner** 

(Contd. of page 4)

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

## 12 Ecological Information

### **Ecotoxicity:**

## Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 141-43-5 Ethanolamine		
EC50	>1,000 mg/l (Activated sludge)	
EC50/48 h	65 mg/l (Daphnia magna (water flea))	
LC50/96 h	349 mg/l (carp)	
	33-93 mg/l (Daphnia magna (water flea))	
	125-2,070 mg/l (Pimephales promelas (fathead minnow))	
	170 mg/l (Carassius auratus (goldfish))	

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

# 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

# 14 Transport Information

UN Number ADG, IMDG, IATA

UN1760

Proper Shipping Name ADG, IMDG, IATA

CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)

(Contd. on page 6)

# according to WHS Regulations

Date of issue: 13.02.2025 Revision date: 10.02.2025

**Product Name: Titan Tank Cleaner** 

(Contd. of page 5)

**Dangerous Goods Class** 

ADG Class: 8

**Packing Group:** 

ADG, IMDG, IATA

F-A,S-B **EMS Number:** 

**Hazchem Code:** 2X 274 **Special Provisions:** Excepted quantities (EQ): F2 **Limited Quantities:** 1 L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T11

Portable Tanks & Bulk Containers - Special

Provisions: TP2, TP27

# 15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

#### 16 Other Information

Date of Preparation or Last Revision: 10.02.2025

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

Skin corrosion/irritation - Category 1B: Skin corrosion/irritation - Category 1B

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation - Category 1: Serious eye damage/eye irritation - Category 1

Eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.